



**Chicago  
Pneumatic**

**THE MOST COMPLETE LINE OF  
BOLTING TOOLS  
PLUS UNMATCHED SERVICE AND SUPPORT**



**GRUPO  
SEMCO**  
SERVICIOS MINEROS Y COMPRESORES S.A. DE C.V.

[www.cp.com](http://www.cp.com)

**People. Passion. Performance.**

## Hydraulic Torque Wrenches



## Heavy Duty Impact Wrenches for Industry



### T Series Square



With square drive sizes from 3/4" to 2 1/2", and torque range from 267Nm to 30,168Nm, Titan T-Series torque wrenches are powerful, accurate, durable, robust and efficient.



### LP Series



Features a torque range from 363Nm to 44,748Nm and hex size range of 19-160mm. Extremely versatile and slim design for tight application accessibility. The LP Series are highly durable and powerful to handle the toughest jobs.



### LP SuperThin



Titan SuperThin links are made to deliver an accurate and repeatable torque even in the tightest applications. Smallest link radius available on the market today, fits where other can't.



### CP0611



1" square drive with max torque of 3,790 Nm and reliable 2-jaw clutch with the highest blows per minutes. Durable aluminum body & indestructible steel clutch. Full teasing (inside) trigger. 360° adjustable D-type side handle.



### CP6135



1-1/2" square drive with monster power (8,000Nm of max torque) for the light weight and compact size. Premium quality for the most demanding industrial applications. Features smooth operation thanks to the teasing trigger.



### CP6778



1" square drive delivering up to 1750Nm. Features a twin hammer in oil bath and steel clutch housing for long life and an extremely durable steel motor. ATEX certified and dust-proof (IP6).



### CP6120



Super industrial 1-1/2" impact wrench with up to 4740Nm of torque. Reliable 2-jaw clutch with the highest blows per minute, durable aluminum body & indestructible steel clutch housing.



### CP6130



1-1/2" square drive Super Duty T-Handle with up to 12,500Nm of torque. Reliable double rocking dog clutch, five-positions regulator, progressive trigger & easy reverse. Removable dead handle. Suspension hole for easy hoist/balancer hooking.



### CP6240



2-1/2" square drive with up to 25,000Nm of torque. Ideal for industrial maintenance & production applications thanks to low levels of vibration & limited noise.



# Pumps and Accessories



## Pneumatic Pump

Power ranges from 1/4Kw, 0.55Kw and 1.1K and features an explosion-proof air driven motor and a 3-stage piston design allowing the pump to be faster at any working pressure stage.



## Electric Pump

Ranges from 1.12Kw- 2.8Kw. The EXE Titan pump range features a 3-stage piston design which allows the pump to be faster at any working pressure stage.



## Backup Wrenches

Hex sizes 1" to 4-3/16". One Tri-Hold fits multiple nut sizes, so you no longer need a backup wrench for each nut size. It secures the nut for safer hands-free operation.





Since 1901 the Chicago Pneumatic name has represented high-performance tools and equipment designed for an extensive range of applications. Today, Chicago Pneumatic has a global reach, with local customer centers around the world. Chicago Pneumatic tools and air compressors are tailored to the needs of the industrial, vehicle service, and construction markets. Every day we develop and manufacture new products that are meant to meet your demands not only today, but tomorrow as well.

## Follow Us

---

**You Tube** [youtube.com/CPCHANNELS](https://youtube.com/CPCHANNELS)

**in** [linkedin.com/company/chicago-pneumatic](https://linkedin.com/company/chicago-pneumatic)

6159970091